

1. **Romero-Sandoval EA**, Mazario J, Howat D, Herrero JF. NCX-701 (nitroparacetamol) is an effective antinociceptive agent in rat withdrawal reflexes and wind-up. *Br J Pharmacol*. 2002 Mar;135(6):1556-62. PMID: PMC1573254
2. **Romero-Sandoval EA**, Del Soldato P, Herrero, JF. The effects of sham and full spinalization on the antinociceptive effects of ncx-701 (nitroparacetamol) in monoarthritic rats. *Neuropharmacology*. 2003 37(3):207-214.
3. Herrero JF, **Romero-Sandoval EA**, Gaitan G, Mazario J. Antinociception and the new COX inhibitors: research approaches and clinical perspectives. *CNS Drug Rev*. 2003 Fall;9(3):227-52. Review.
4. Herrero JF, **Romero-Sandoval EA**, Gaitán G, Mazario J, Jacobs ALC. Efectos analgésicos de los nuevos inhibidores de las ciclooxigenasas: Evidencias experimentales y expectativas clínicas. *Revista de la Sociedad Española del Dolor*. 2003 10, 430-444. In Spanish.
5. **Romero-Sandoval EA**, Alique M, Moreno-Manzano V, Molina C, Lucio FJ, Herrero JF. The oral administration of retinoic acid enhances nociceptive withdrawal reflexes in rats with soft-tissue inflammation. *Inflamm Res*. 2004 Jul;53(7):297-303. Epub 2004 Jun 25.
6. **Romero-Sandoval EA**, McCall C, Eisenach JC. Alpha2-adrenoceptor stimulation transforms immune responses in neuritis and blocks neuritis-induced pain. *J Neurosci*. 2005 Sep 28;25(39):8988-94.
7. **Romero-Sandoval EA**, Eisenach JC. Clonidine reduces hypersensitivity and alters the balance of pro- and anti-inflammatory leukocytes after local injection at the site of inflammatory neuritis. *Brain Behav Immun*. 2007 Jul;21(5):569-80. Epub 2006 Oct 31. PMID: PMC1949871
8. **Romero-Sandoval EA**, Molina C, Alique M, Moreno-Manzano V, Lucio FJ, Herrero JF. Vitamin A active metabolite, all-trans retinoic acid, induces spinal cord sensitization. I. Effects after oral administration. *Br J Pharmacol*. 2006 Sep;149(1):56-64. Epub 2006 Jul 17. PMID: PMC1629405
9. **Romero-Sandoval EA**, Molina C, Herrero JF. Enhancement of the analgesic activity of paracetamol and nitroparacetamol by the oral administration of all-trans retinoic acid. *Neuropharmacology*. 2006 Sep; 51(4):858-65. Epub 2006 Jul 25.
10. **Romero-Sandoval EA**, Eisenach JC. Perineural clonidine reduces mechanical hypersensitivity and cytokine production in established nerve injury. *Anesthesiology*. 2006 Feb;104(2):351-5.
11. **Romero-Sandoval EA**, Curros-Criado MM, Gaitan G, Molina C, Herrero JF. Nitroparacetamol (NCX-701) and pain: first in a series of novel analgesics. *CNS Drug Rev*. 2007 Fall;13(3):279-95. Review.
12. **Romero-Sandoval EA**, Eisenach JC. Spinal cannabinoid receptor type 2 activation reduces hypersensitivity and spinal cord glial activation after paw incision. *Anesthesiology*. 2007 Apr;106(4):787-94.

13. **Romero-Sandoval EA**, Bynum T, Eisenach JC. Analgesia induced by perineural clonidine is enhanced in persistent neuritis. *Neuroreport*. 2007 Jan 8;18(1):67-71.
14. Summer GJ, **Romero-Sandoval EA**, Bogen O, Dina OA, Khasar SG, Levine JD. Proinflammatory cytokines mediating burn-injury pain. *Pain*. 2008 Mar;135(1-2):98-107. Epub 2007 Jun 27.
15. **Romero-Sandoval EA**, Nutile-McMenemy N, DeLeo JA. Spinal microglial and perivascular cell cannabinoid receptor type 2 activation reduces behavioral hypersensitivity without tolerance after peripheral nerve injury. *Anesthesiology*. 2008 Apr;108(4):722-34.
16. **Romero-Sandoval EA**, Chai N, Nutile-McMenemy N, DeLeo JA. A comparison of spinal Iba1 and GFAP expression in rodent models of acute and chronic pain. *Brain Res*. 2008 Jul 11;1219:116-26
17. **Romero-Sandoval EA**, Horvath JA, DeLeo JA. Neuroimmune Interactions and Pain: Focus on Glial-Modulating Targets. *Curr Opin Investig Drugs*. 2008 Jul;9(7):726-34.
18. **Romero-Sandoval EA**, Horvath R, Landry RP, DeLeo JA. Cannabinoid receptor type 2 activation induces a microglial anti-inflammatory phenotype and reduces migration via MKP induction and ERK dephosphorylation. *Mol Pain*. 2009 May 28;5:25.
19. Horvath RA, **Romero-Sandoval EA**, DeLeo JA. Inhibition of microglial P2X4 receptors attenuates morphine tolerance, Iba1, GFAP and mu opioid receptor protein expression while enhancing perivascular microglial ED2. *Pain*. 2010 doi:10.1016/j.pain.2010.02.042.
20. Alkaitis MS, Solorzano C, Landry RP, Piomelli D, DeLeo JA, **Romero-Sandoval EA**. Evidence for a Role of Endocannabinoids, Astrocytes and p38 Phosphorylation in the Resolution of Postoperative Pain. *PLoS One*. 2010 May 28;5(5):e10891
21. Horvath R, Landry RP, **Romero-Sandoval EA** and DeLeo JA. Morphine tolerance attenuates the resolution of postoperative pain and enhances spinal microglial p38 and extracellular receptor kinase phosphorylation. *Neuroscience*. 2010 Aug 25;169(2):843-54
22. Horvath R, **Romero-Sandoval EA** and DeLeo JA. Glial Modulation in Pain States: Translation into Humans. In: Kruger L, Light AR, editors. *Translational Pain Research: From Mouse to Man*. Boca Raton, FL: CRC Press; 2010. Chapter 9. *Frontiers in Neuroscience*.
23. **Romero-Sandoval EA**. Depression and Pain: Does Ketamine Improve the Quality of Life of Patients in Chronic Pain by Targeting Their Mood? *Anesthesiology*. 2011 Oct;115(4):687-8
24. **Romero-Sandoval EA**. Phosphatases and Glia. *Encyclopedia of Pain*, 2nd Edition. 2011. Book chapter (In press).
25. Alkaitis MS, Ndong D, Landry RP, DeLeo JA, **Romero-Sandoval EA**. Reduced antinociceptive effect of repeated treatment with a cannabinoid receptor type 2 agonist in cannabinoid-tolerant rats following spinal nerve transaction. *Pain Management (ISBN 978-953-307-813-7)*. Peer-reviewed Book Chapter. August 2011.

26. Jacobs VL, Landry RP, Liu Y, **Romero-Sandoval EA**, De Leo JA. Propentofylline decreases tumor growth in a rodent model of glioblastoma multiforme by a direct mechanism on microglia. *Neuro Onc.* 2012 Feb;14(2):119-31.
27. Landry RP, Jacobs VL, **Romero-Sandoval EA**, De Leo JA. Propentofylline, a CNS glial modulator does not decrease pain in post-herpetic neuralgia patients: In vitro evidence for differential responses in human and rodent microglia and macrophages. *Experimental Neurology.* Exp Neurol. 2012 Apr;234(2):340-50
28. Ndong C, Landry, RP, DeLeo JA, **Romero-Sandoval EA**. Mitogen activated protein kinase phosphatase-1 prevents the development of tactile sensitivity in a rodent model of neuropathic pain. *Molecular Pain* 2012, 8:34.
29. Landry RP, Martinez E, DeLeo JA, **Romero-Sandoval EA**. Spinal cannabinoid receptor type 2 agonist reduces mechanical allodynia and induces mitogen-activated protein kinase phosphatases in a rat model of neuropathic pain. *Journal of Pain* 2012 Sep;13(9):836-48.
30. **Romero-Sandoval EA**. Peripheral benzodiazepine receptors: are they potential biomarkers for glial activation in pain states? *Eur J Pain.* 2013 May;17(5):635-7.
31. Saha M, Skopelja S, Martinez E, Alvarez DL, Liponis BS, **Romero-Sandoval EA**. Spinal Mitogen-Activated Protein Kinase Phosphatase-3 (MKP-3) is Necessary for the Normal Resolution of Mechanical Allodynia in a Mouse Model of Acute Postoperative Pain. *J Neurosci.* 2013 Oct 23;33(43):17182-7.
32. Ndong C, Landry, RP, Saha M, **Romero-Sandoval EA**. Mitogen-activated protein kinase (MAPK) phosphatase-3 (MKP-3) displays a p-JNK-MAPK substrate preference in astrocytes *in vitro*. *Neurosci. Lett.* 2014 May 23;575C:13-18.
33. Asbill S, Sweitzer SM, Spigener S, **Romero-Sandoval A**. Compounded pain formulations. What is the evidence? *Int J Pharm Compd.* 2014 Jul-Aug;18(4):278-86.
34. Paige C, Hill B, Canterbury J, Sweitzer S, **Romero-Sandoval EA**. Construction of an Affordable and Easy-to-Build Zebrafish Facility. *J Vis Exp.* 2014 J Vis Exp. 2014 Nov 22;(93):e51989. doi: 10.3791/51989.
35. Heustess A, Spigener S, Sweitzer SM, **Romero-Sandoval A**, Asbill S. Analgesic efficacy and transdermal penetration of topical gabapentin creams: Finding an optimal dose and pre-treatment time. *Int J Pharm Compd.* 2015 Mar-Apr;19(2):167-173.
36. **Romero-Sandoval EA**, Sweitzer SM. Nonneuronal Central Mechanisms of Pain. In Theodore Price, Greg Dussor, editors: *Molecular and Cell Biology of Pain*, Vol 131, PMBTS, UK: Academic Press, 2015, pp. 325-358. [Book Chapter](#).
37. **Romero-Sandoval EA**, Asbill S, Paige CA, Byrd-Glover K. Peripherally restricted cannabinoids in pain treatment. [Review](#). *Pharmacotherapy.* 2015 Oct;35(10):917-25.
38. Savage SR, **Romero-Sandoval A**, Schatman M, Wallace M, Fanciullo G, McCarberg B, Ware M. Cannabis in Pain Treatment: Clinical and Research Considerations. *J Pain.* 2016 Mar 4. pii: S1526-5900(16)00543-5.

39. Bernal L, Alvarado A, Ferreira D, Paige C, Moron C, Hill B., Caesar M, **Romero-Sandoval EA**. Evaluation of a nanotechnology-based approach to induce gene-expression in human THP-1 macrophages under inflammatory conditions. *Immunobiology*. 2016 Sep 5. pii: S0171-2985(16)30357-6.
40. Alicia Bort, Perla Abigail Alvarado-Vazquez, Carolina Moracho-Vilrriales, Kristopher G. Virga, Giuseppe Gummina, **E. Alfonso Romero-Sandoval** and Scott Asbill. The effects of JWH015 in cytokine secretion in primary human keratinocytes and fibroblasts and its suitability for topical/transdermal delivery. *Molecular Pain* 2017, vol. 13:1-6
41. Sladjana Skopelja-Gardner, Madhurima Saha, Perla Abigail Alvarado-Vazquez, Brenna S. Liponis, Elena Martinez, **E. Alfonso Romero-Sandoval**. Mitogen-activated protein kinase phosphatase-3 (MKP-3) in the surgical wound is necessary for the resolution of postoperative pain in mice. *Journal of Pain Research* 28 March 2017:10 1–12.
42. Jimmy Pruitt III, Carolina Moracho-Vilrriales, Tiffaney Threatt, Sarah Wagner, Jun Wu, **E. Alfonso Romero-Sandoval**. Identification, Prevalence, and Treatment of Painful Diabetic Neuropathy in Patients from a Rural Area in South Carolina. *Journal of Pain Research* 7 April 2017, Volume 2017:10 833-843.