

REFERENCES

- Akl, E. A., Gaddam, S., Gunukula, S. K., Honeine, R., Jaoude, P. A., & Irani, J. (2010). The effects of waterpipe tobacco smoking on health outcomes: A systematic review. *International Journal of Epidemiology*, 39(3), 834-857.
- Alcohol Justice. (2007). Media advocacy primer. San Rafael, CA: The Marin Institute. Retrieved July 25, 2012, from <http://www.cadca.org/files/mediaadvocacyprimer.pdf>
- American College Health Association (ACHA). (2011). Position statement on tobacco on college and university campuses. Retrieved July 25, 2012, from http://www.acha.org/Publications/docs/Position_Statement_on_Tobacco_Nov2011.pdf
- American Lung Association (2007). Tobacco policy trend alert. An emerging deadly trend: Waterpipe tobacco use. New York, NY: American Lung Association.
- American Lung Association of Oregon. (2008). Making your college campus tobacco-free: A guide for college leaders. Portland, OR. Retrieved July 25, 2012, from http://smokefreeoregon.com/wp-content/uploads/2010/11/TobaccoFreeColleges_pages.pdf
- Mosher, J. (2001). Policy briefing paper: The perils of preemption. American Medical Association. Retrieved July 25, 2012 from http://www.alcoholpolicy.md.com/pdf/Policy_Perils.pdf.
- An, L. C., Berg, C. J., Klatt, C. M., Perry, C. L., Thomas, J. L., Luo, X., et al. (2009). Symptoms of cough and shortness of breath among occasional young adult smokers. *Nicotine and Tobacco Research*, 11(2), 126-133.
- Blosnich, J., Lee, J. G., & Horn, K. (2011). A systematic review of the aetiology of tobacco disparities for sexual minorities. *Tobacco Control*, Epub ahead of print.
- Bullen, C., McRobbie, H., Thornley, S., Glover, M., Lin, R., & Laugesen, M. (2010). Effect of an electronic nicotine delivery device (e-cigarette) on desire to smoke and withdrawal, user preferences and nicotine delivery: Randomised cross-over trial. *Tobacco Control*, 19(2), 98-103.
- Cabaj, R. P. (1992). Substance use in the gay and lesbian community. In J. H. Lowinson, P. Ruiz, & R. Millman (Eds.), *Substance Use: A Comprehensive Textbook* (852-860). Baltimore: Williams and Wilkins.
- Campaign for Tobacco-Free Kids. (2009). Deadly in pink: Big tobacco steps up its targeting of women and girls. Washington, DC. Retrieved July 25, 2012, from http://www.tobaccofreekids.org/content/what_we_do/industry_watch/deadly_in_pink/deadlyinpink_02182009_FINAL.pdf
- Campaign for Tobacco-Free Kids. (2011). Smokeless tobacco and kids. Washington, DC. Retrieved July 25, 2012, from <http://www.tobaccofreekids.org/research/factsheets/pdf/0003.pdf>
- Centers for Disease Control and Prevention. (1999). Bidi use among urban youth—Massachusetts, March–April 1999. *Morbidity and Mortality Weekly Report*, 48(36), 796–799.
- Centers for Disease Control and Prevention. (2004). Indoor air quality in hospitality venues before and after implementation of a clean indoor air law—Western New York, 2003. *Morbidity and Mortality Weekly Report*, 53(44), 1038–1041.
- Centers for Disease Control and Prevention. (2005). Annual smoking-attributable mortality, years of potential life lost, and productivity losses—United States, 1997–2001. *Morbidity and Mortality Weekly Report*, 54(25), 625–628.
- Centers for Disease Control and Prevention. (2008). Smoking-attributable mortality, years of potential life lost, and productivity losses—United States, 2000–2004. *Morbidity and Mortality Weekly Report*, 57(45), 1226–1228.
- Centers for Disease Control and Prevention. (2009). Reduced hospitalizations for acute myocardial infarction after implementation of a smoke-free ordinance—City of Pueblo, Colorado, 2002–2006. *Morbidity and Mortality Weekly Report*, 57(51&52), 1373–1377.
- Chen, X., Cruz, T. B., Schuster, D. V., Unger, J. B., & Johnson, C. A. (2002). Receptivity to protobacco media and its impact on cigarette smoking among ethnic minority youth in California. *Journal of Health Communication*, 7, 95–111.
- CNN Money. (2008, November 18). Reynolds American to sell dissolvable tobacco. CNN Money. Retrieved July 25, 2012, from <http://money.cnn.com/news/newsfeeds/articles/apwire/d5357bfbce9681cd6eefb7b7eadcf6.htm>
- Community Anti-Drug Coalitions of America (CADCA). (2007). Sustainability primer: Fostering long-term change to create drug-free communities. Alexandria, VA. Retrieved July 25, 2012, from <http://www.cadca.org/files/sustainability-primer-2008.pdf>
- Connolly, G. N. (2007, February). Testimony before the Senate HELP Committee. Washington, D.C.
- Dalsey, E., & Park, H. S. (2009). Implication of organizational health policy on organizational attraction. *Health Communication*, 24(1), 71–81.
- Davies, H. T. O., Nutley, S. M., & Smith, P. C. (Eds). (2000). *What Works? Evidence-Based Policy and Practice in Public Services*. Bristol, United Kingdom: Policy Press.
- Doll, R., Peto, R., Boreham, J., & Sutherland, I. (2004). Mortality in relation to smoking: 50 years' observations on male British doctors. *BMJ*, 328, 1519.
- Dorfman, L. (2007). Using media to influence policy. In L. Cohen, V. Chavez, & S. Chehimi (Eds.), *Prevention is Primary: Strategies for Community Well Being* (Chapter 9). San Francisco, CA: Jossey-Bass.
- Eisenberg, M. E., & Wechsler, H. (2003). Social influences on substance-use behaviors of gay, lesbian, and bisexual college students: Findings from a national study. *Social Science & Medicine*, 57, 1913–1923.
- Eissenberg, T. (2010). Electronic nicotine delivery devices: Ineffective nicotine delivery and craving suppression after acute administration. *Tobacco Control*, 19(1), 87–88.
- Ellickson, P. L., Orlando, M., Tucker, J. S., & Klein, D. J. (2004). From adolescence to young adulthood: Racial/ethnic disparities in smoking. *American Journal of Public Health*, 94(2); 293–299.
- Emmons, K. (1998). Predictors of smoking among U. S. college students. *American Journal of Public Health*, 88(1), 104.
- Federal Trade Commission. (2011). Cigarette report for 2007 and 2008. Washington, DC. Retrieved July 25, 2012, from <http://www.ftc.gov/os/2011/07/110729cigarettereport.pdf>
- Flint, A. J., Yamada, E. G., & Novotny, T. E. (1998). Black-white differences in cigarette smoking uptake: Progression from adolescent experimentation to regular use. *Preventive Medicine*, 27(3), 358–364.
- Flynn, J. D. (2009). Structure fires in dormitories, fraternities, sororities and barracks. Quincy, MA: National Fire Protection Association. Retrieved July 25, 2012, from <http://www.yorkcounty.gov/LinkClick.aspx?fileticket=MlIQe%2F4Mgl4%3D&tabid=3575>
- Fortin, J. (2007, November 12). Smoke-free college trend growing. CNN Health. Retrieved July 25, 2012, from http://articles.cnn.com/2007-11-12/health/hm.smokefree.campus_1_smoke-free-college-smoking-indoors-cancer-society?_s=PM:HEALTH
- Fulton-Smith, S., Joshi, S., Burrus, C., Bell, R., & Burrus, B. (2012). Tobacco 101: A community guide. Presenter's manual [Powerpoint slides]. Prepared for the North Carolina Department of Health and Human Services, Tobacco Prevention and Control Branch. Research Triangle Park, NC: RTI International.
- Gilpin, E. A., White, V. M., & Pierce, J. P. (2005). What fraction of young adults are at risk for future smoking, and who are they? *Nicotine & Tobacco Research*, 7(5), 747–759.
- Goebel, K. (1994). Lesbians and gays face tobacco targeting. *Tobacco Control*, 3, 65–67.
- Gupta, P. C., & Asma, S. (2008). Bidi smoking and public health. New Delhi, India: Ministry of Health and Family Services. Retrieved July 25, 2012, from <http://mohfw.nic.in/WriteReadData/1892s/file16-29724885.pdf>
- Hahn, E. J., Fallin, A., Darville, A., Kercsmar, S. E., McCann, M., & Record, R. A. (2012). The three Ts of adopting tobacco-free policies on college campuses. *Nursing Clinics of North America*, 47(1), 109–117.
- Halperin, A. C. (2002, March). State of the union: Smoking on U. S. college campuses. A report for the American Legacy Foundation. (Unpublished internal report). Washington, DC.
- Halperin, A. C., & Eytan, T. A. (2001). Tobacco use trends and associated risks in a university population. Presented at the Annual Meeting, Society for Research on Nicotine & Tobacco, Seattle, WA. March 23, 2001.

REFERENCES

- Hancock, L. & Henry, N. (2003). Perceptions, norms and tobacco use in college residence hall freshmen: Evaluation of a social norms marketing intervention. In H. W. Perkins (Ed.), *The Social Norms Approach to Preventing School and College Age Substance Abuse: A Handbook for Educators, Counselors, and Clinicians* (Chapter 8). San Francisco, CA: Jossey-Bass.
- Harris, K. J., Stearns, J. N., Kovach, R. G., & Harrar, S. W. (2009). Enforcing an outdoor smoking ban on a college campus: effects of a multicomponent approach. *Journal of American College Health, 58*(2), 121-126.
- Institute of Medicine. (2009). Secondhand smoke exposure and cardiovascular effects: Making sense of the evidence. Washington, DC: National Academy of Sciences.
- James, D. C. S., Chen, W. W., & Sheu, J. J. (2007). Type of tobacco product used: Are there differences between university and community college students? *Journal of Drug Education, 37*(4), 379-392.
- Jenicek, M. (1997). Epidemiology, evidence-based medicine, and evidence-based public health. *Journal of Epidemiology, 7*(4), 187-197.
- Jernigan, D., & Waters, H. (2009). The potential benefits of alcohol excise tax increases in Maryland. Baltimore, MD: Johns Hopkins Bloomberg School of Public Health.
- Jimenez-Ruiz, C., Kunze, M., & Fagerstrom, K. O. (1998). Nicotine replacement: A new approach to reducing tobacco-related harm. *European Respiratory Journal, 11*, 473-479.
- Jolly, D. H. (2008). Exploring the use of little cigars by students at a historically black university. *Preventing Chronic Disease, 5*(3), A82.
- Katz, S. K., & Lavack, A. M. (2002). Tobacco related bar promotions: Insights from tobacco industry documents. *Tobacco Control, 11*, i92-i101.
- Klepeis, N. E., Ott, W. R., & Switzer, P. (2007). Real-time measurement of outdoor tobacco smoke particles. *Journal of the Air Waste Management Association, 57*, 522-34.
- Lackey, K. (2007, April 10). Penn State Commission pushes for smoking ban. *The Daily Collegian Online*.
- Lee, J. G. L., Goldstein, A. O., Kramer, K. D., Steiner, J., Ezzell, M. M., & Shah, V. (2010) Statewide diffusion of 100% tobacco-free college and university policies. *Tobacco Control, 19*(4), 311-317.
- Lee, J. G. L., Goldstein, A. O., Klein, E. G., Ranney, L. M., & Carver, A. M. (In press). Assessment of college and university campus tobacco-free policies in North Carolina. *Journal of American College Health*.
- Lee, J. G. L., Griffin, G. K., & Melvin, C. L. (2009). Tobacco use among sexual minorities in the U. S. A., 1987 to May 2007: A systematic review. *Tobacco Control, 18*(4), 275-282.
- Lee, J. G. L., Ranney, L. M., & Goldstein, A. O. (2011). Cigarette butts near building entrances: What is the impact of smoke-free college campus policies? *Tobacco Control*, Epub ahead of print.
- Ling, P., & Glantz, S. (2002). Why and how the tobacco industry sells cigarettes to young adults: Evidence from industry documents. *American Journal of Public Health, 92*, 908-916.
- Luoto, R., Uutela, A., & Puska, P. (2000). Occasional smoking increases total and cardiovascular mortality among men. *Nicotine and Tobacco Research, 2*(2), 133-139.
- Malson, J. L., Lee, E. M., Murty, R., Moolchan, E. T., & Pickworth, W. B. (2003). Clove cigarette smoking: Biochemical, physiological, and subjective effects. *Pharmacology Biochemistry and Behavior, 74*, 739-745.
- Mangunegoro, H., & Sutoyo, D. K. (1996). Environmental and occupational lung diseases in Indonesia. *Respirology, 1*, 85-93.
- Maziak, W., Ward, K. D., Afifi Soweid, R. A., & Eissenberg, T. (2004). Tobacco smoking using a waterpipe: A re-emerging strain in a global epidemic. *Tobacco Control, 13*, 327-333.
- Mejia, A. B., Ling, P. M., & Glantz, S. A. (2010). Quantifying the effects of promoting smokeless tobacco as a harm reduction strategy in the USA. *Tobacco Control, 19*, 297-305.
- National Cancer Institute. (1998). Smoking and tobacco control monograph 9: Cigars: Health effects and trends. Bethesda, MD. Retrieved July 25, 2012, from <http://www.cancercontrol.cancer.gov/tcrb/monographs/9/index.html>
- National Collegiate Athletic Association (NCAA). (2006). NCAA Study of Substance Use Habits of College Student-Athletes. Indianapolis, IN. Retrieved July 25, 2012, from <http://www.americanathleticinstitute.org/college/documents/NCAASTudy.pdf>
- Pais, P., Pogue, J., Gerstein, H., Zachariah, E., Savitha, D., Jayprakash, S., et al. (1996). Risk factors for acute myocardial infarction in Indians: A case-control study. *Lancet, 348*, 358-363.
- Primack, B. A., Aronson, J. D., & Agarwal, A. A. (2006). An old custom, a new threat to tobacco control. *American Journal of Public Health, 96*, 1339.
- Primack, B., Bost, J., Land, S., & Fine, M. (2007). Volume of tobacco advertising in African American markets: Systematic review and meta-analysis. *Public Health Reports, 122*(5), 607-615.
- Rahman, M., & Fukui, T. (2000). Bidi smoking and health. *Public Health, 114*, 123-127.
- Rahman, M., Sakamoto, J., & Fukui, T. (2003). Bidi smoking and oral cancer: A meta-analysis. *International Journal of Cancer, 106*, 600-604.
- Rainey, C. L., Conder, P. A., & Goodpaster, J. V. (2011). Chemical characterization of dissolvable tobacco products promoted to reduce harm. *Journal of Agricultural and Food Chemistry, 59*(6), 2745-2751.
- Ridner, S. L., Myers, J. A., Hahn, E. J., & Ciszewski, T. N. (2010). College students' exposure to tobacco marketing in nightclubs and bars. *Journal of American College Health, 59*(3), 159-164.
- Rigotti, N. A., Lee, J. E. & Wechsler, H. (2000). U. S. college students' use of tobacco products: Results of a national survey. *Journal of the American Medical Association, 284*(6), 699-705.
- Rigotti, N. A., Moran, S. E., & Wechsler, H. (2004). U.S. college students' exposure to tobacco promotions: Prevalence and association with tobacco use. *American Journal of Public Health, 95*(1), 138-144.
- Ryan, H., Wortley, P. M., Easton, A., Pederson, L., & Greenwood, G. (2001). Smoking among lesbians, gays, and bisexuals: A review of the literature. *American Journal of Preventive Medicine, 21*(2), 142-149.
- Sankaranarayanan, R., Duffy, S. W., Padmakumary, G., Nair, S. M., Day, N. E., & Padmanabhan, T. K. (1991). Risk factors for cancer of the oesophagus in Kerala, India. *International Journal of Cancer, 49*, 485-489.
- Scott-Sheldon, L. A. J., Carey, K. B., & Carey, M. P. (2008). Health behavior and college students: Does Greek affiliation matter? *Journal of Behavioral Medicine, 31*(1), 61-70.
- Seidenberg, A. B., Rees, V. W., & Connolly, G. N. (2011). R. J. Reynolds goes international with new dissolvable tobacco products. *Tobacco Control, 21*(3), 368-369.
- Seo, D. C., Macy, J. T., Torabi, M. R., & Middlestadt, S. E. (2011). The effect of a smoke-free campus policy on college students' smoking behaviors and attitudes. *Preventive Medicine, 53*, 347-352.
- Siegel, M., Albers, A. B., Cheng, D. M., Biener, L., & Rigotti, N. A. (2005). Effect of local restaurant smoking regulations on progression to established smoking among youths. *Tobacco Control, 14*, 300-306.
- Stepanov, I., Jensen, J., Biener, L., Bliss, R. L., Hecht, S. S., & Hatsukami, D. K. (2012). Increased pouch sizes and resulting changes in the amounts of nicotine and tobacco-specific N-Nitrosamines in single pouches of Camel Snus and Marlboro Snus. *Nicotine & Tobacco Research*, Epub ahead of print.
- Sutfin, E. L., McCoy, T. P., Berg, C. J., Champion, H., Helme, D. W., O'Brien, M. C., & Wolfson, M. (2012). Tobacco use by college students: A comparison of daily and nondaily smokers. *American Journal of Health Behavior, 36*(2), 218-229.
- Sutfin, E. L., McCoy, T. P., Reboussin, B. A., Wagoner, K. G., Spangler, J., & Wolfson, M. (2011). Prevalence and correlates of waterpipe tobacco smoking by college students in North Carolina. *Drug and Alcohol Dependence, 115*(1-2), 131-136.

REFERENCES

- Sutfin, E. L., Reboussin, B. A., McCoy, T. P., & Wolfson, M. (2009). Are college student smokers really a homogeneous group? A latent class analysis of college student smokers. *Nicotine & Tobacco Research, 11*(4), 444-454.
- Thompson, B., Coronado, G. D., Chen, L., Thompson, L. A., Hymer, J. C., & Peterson, A. K. (2006). Preferred smoking policies at 30 Pacific Northwest colleges. *Public Health Reports, 121*(5), 586-593.
- Tobacco Free Nebraska. (2012). Preventing tobacco use among young people. Lincoln, NE: Nebraska Department of Health and Human Services. Retrieved July 25, 2012, from http://dhhs.ne.gov/publichealth/Pages/tfn_yop_tfnprev.aspx
- Tobacco Products Scientific Advisory Committee (TPSAC). (2012, March). Summary: TPSAC report on dissolvable tobacco products. Washington, DC: Center for Tobacco Products of the Food and Drug Administration.
- U.S. Department of Health and Human Services. (1998). *Tobacco use among U.S. racial/ethnic minority groups – African Americans, American Indians and Alaska Natives, Asian Americans and Pacific Islanders, Hispanics. A report of the surgeon general.* Atlanta, Georgia: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health.
- U.S. Department of Health and Human Services. (2010). *How tobacco smoke causes disease: The biology and behavioral basis for smoking-attributable disease: A report of the Surgeon General.* Washington, DC: Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health.
- Unger, J., Soto, C., & Baezconde-Garbanati, L. (2006). Perceptions of ceremonial and nonceremonial uses of tobacco by American-Indian adolescents in California. *Journal of Adolescent Health, 38*(4), 443.e9-16.
- Vansickel, A. R., Cobb, C. O., Weaver, M. F., & Eissenberg, T. E. (2010). A clinical laboratory model for evaluating the acute effects of electronic “cigarettes”: Nicotine delivery profile and cardiovascular and subjective effects. *Cancer Epidemiology, Biomarkers & Prevention, 19*, 1945-1953.
- Walsh, M. M., Hilton, J. F., Ernster, V. L., Masouedis, C. M., & Grady, D. G. (1994). Prevalence, patterns, and correlates of spit tobacco use in a college athlete population. *Addictive Behaviors, 19*(4), 411-427.
- Watson, C. H., Polzin, G. M., Calafat, A. M., & Ashley, D. L. (2003). Determination of the tar, nicotine, and carbon monoxide yields in the smoke of bidi cigarettes. *Nicotine & Tobacco Research, 5*(5), 747-753.
- Wechsler, H., Kuo, M., Lee, H., & Dowdall, G. W. (2000). Environmental correlates of underage alcohol use and related problems of college students. *American Journal of Preventive Medicine, 19*(1):24-29.
- Wechsler, H., Rigotti, N. A., Gledhill-Hoyt, J., & Lee, H. (1998). Increased levels of cigarette use among college students: A cause for national concern. *Journal of the American Medical Association, 280*(19), 1673-1678.
- West, M. (2011, February 20). How nonprofits can use social media to spark change. The Chronicle of Philanthropy. Retrieved July 25, 2012, from <http://philanthropy.com/article/How-Nonprofits-Can-Use-Social/126402/>
- Wetter, D. W., Kenford, S. L., Welsch, S. K., Smith, S. S., Fouladi, R. T., Fiore, M. C., & Baker, T. B. (2004). Prevalence and predictors of transitions in smoking behavior among college students. *Health Psychology, 23*(2), 168-177.
- Wetter, D. W., McClure, J. B., & de Moor, C. (2002). Concomitant use of cigarettes and smokeless tobacco: Prevalence, correlates, and predictors of tobacco cessation. *Preventive Medicine, 34*, 638-48.
- Wolfson, M., McCoy, T. P., & Sutfin, E. L. (2009). College students' exposure to secondhand smoke. *Nicotine & Tobacco Research, 11*(8), 977-984.
- Wollscheid, K. A., & Kremzner, M. E. (2009). Electronic cigarettes: Safety concerns and regulatory issues. *American Journal of Health-System Pharmacy, 66*(19), 1740-1742.
- World Health Organization (WHO) Study Group on Tobacco Product Regulation (TOBREG). (2005). Waterpipe tobacco smoking: Health effects, research needs and recommended action by regulators. Geneva, Switzerland.
- World Health Organization. (2006). Tobacco: Deadly in any form or disguise. Geneva, Switzerland. Retrieved July 25, 2012, from http://www.who.int/tobacco/communications/events/wntd/2006/Report_v8_4May06.pdf
- Yamin, C. K., Bitton, A., & Bates, D. W. (2010). E-cigarettes: A rapidly growing internet phenomenon. *Annals of Internal Medicine, 153*, 607-609.
- Zakocs, R. C., & Edwards, E. M. (2006). What explains community coalition effectiveness? A review of the literature. *American Journal of Preventive Medicine, 30*(4), 351-361.
- Zucker, A. N., Harrell, Z. A., Miner-Rubino, K., Stewart, A. J., Pomerleau, C. S., & Boyd, C. J. (2001). Smoking in college women: The role of thinness pressures, media exposure, and critical consciousness. *Psychology of Women Quarterly, 25*(3), 233-241.

PHOTO CREDITS

Page Images Provided Courtesy of:

Cover.....Michael Sparks

8.....Camel No. 9: www.trinketsandtrash.org

9.....Red Man Chewing Tobacco: Wake Forest Baptist Health

51.....Tobacco Free Campus sign: Wake Forest Baptist Health

61.....Hookah: Wake Forest Baptist Health
Swisher Sweets and Black & Mild:
Wake Forest Baptist Health

62.....Bidis: Ludvig Dave

Kreteks/Clove Cigarettes: Wake Forest Baptist Health
E-Cigarettes: Wake Forest Baptist Health

63.....Marlboro Snus: Wake Forest Baptist Health

Camel Sticks, Strips and Orbs: Wake Forest Baptist Health
Skool Sticks: Wake Forest Baptist Health